moda BEST OF MORRIS

Barbara Brackman

Fabric 3

8111-37 5/s yd

Fabric 6

Fabric Requirements



8212-22 1 yd





Fabric 8

8140-31 1/2 yd

Fabric 2

8113-21 ½ yd





Fabric 11







Fabric 14

8141-25 1/3 yd



8111-32 11/8 yds

8217-32 21/2 yds

 $\left| \boldsymbol{\mathcal{P}} \right|$





8141-26 1/3 yd



8212-21 1/3 yd

Backing 5 yards

- add extender strips to sides for longarm quilting

> T 0 MODAFABRICS.COM PS8111 — SUGGESTED RETAIL \$6.00



moda

Finished Size: 82"x82" Finished Block Size: 81/2"x81/2"



Barbara Brackman

Quilter's Basics

Read instructions before beginning a project. • All instructions include a ¼" seam allowance. • Press as you go. • Press seams in one direction. • 22" measurement is approximate. • WOF = Width of Fabric

Cutting

Fabric 1Cut 16-2"xWOF strips for strip sets

Fabric 3 Cut 8-2¹/₂"xWOF strips for strip sets

Fabric 2FabCut 8-2"xWOF strips for strip setsCut

Fabric 4 Cut 8-2"xWOF strips for strip sets

Fabric 5

3

5

8

9

Cut 4 – 4¹/₂"xWOF strips Subcut 4 – 4¹/₂"x4¹/₂" squares for corners and 12 – 4¹/₂"x8¹/₂" rectangles for side rectangles

Fabric 6 – *Cut carefully as you will use* $8\frac{1}{2}$ " of the 9" Cut 4 – $8\frac{1}{2}$ " x $8\frac{1}{2}$ " squares for alternate squares

Fabrics 7, 8, 9, 10 and 11

Cut from **each** $1-8\frac{1}{2}$ "x $8\frac{1}{2}$ " square, and $2-8\frac{7}{8}$ "x $8\frac{7}{8}$ " squares cut once diagonally for shoofly blocks

Fabric 12

Cut 1 – 91/4"xWOF strip

Subcut $3 - 9\frac{1}{4}$ "x $9\frac{1}{4}$ " squares, cut twice diagonally for quarter square triangle units.

Fabric 13

Cut 1 – 9¼"xWOF strip Subcut 3 – 9¼"x 9¼" squares, cut twice diagonally for quarter square triangle blocks Cut 9 – 2½"xWOF strips for binding

Fabric 14

Outer border will be cut later.

Construction

Strip Sets – Make 8

Each strip set requires 2 Fabric 1 strips and 1 each of Fabrics 2, 3 and 4. Stitch strips in the following order – Fabric 1, 2, 3, 4 and 1. Make 8 strip sets. Press seams in one direction. *See diagram.*

From the 8 strip sets cut 16-4½"x8½" segments and 24-8½"x8½" segments.

Fabric 1 - 2"xWOF Fabric 2 - 2"xWOF Fabric 3 - 2%"xWOF Fabric 4 - 2"xWOF Fabric 1 - 2"xWOF Cut 24.8%"x8%" Cut 16.4%



Quarter Square Triangle Units – Make 12 total

Join 2 triangles (1 Fabric 12 and 1 Fabric 13) together. Make 8 with Fabric 12 pieces on left and 4 triangles with Fabric 13 on the left. *See diagram*.




Fabric 13 Fabric 12

Make 4 Right

Half Square Triangle Blocks – Make 4

Make 1 of each using Fabric 11 and either Fabric 7, 8, 9 or 10. Press. *See diagram.* Blocks should measure 8½"x8½" with seams.







Combination Blocks – Make 12 total

Stitch 3 blocks using 3 – Fabric 7– 87%" triangles and 3 quarter square triangle units (2 left for Block A and 1 right for Block B). Press seams toward large triangle. *See diagram*. Repeat using Fabrics 8, 9 and 10. Blocks should measure 8½"x 8½" with seams.

moda



Block A



Block A


Block B

Assembly

This quilt has 9 rows with 9 blocks. The odd rows begin and end with Fabric 5 corner squares or rectangles. The even rows begin and end with 4½"x8½" strip set segments. Press odd and even rows in opposite directions. Refer to quilt image for color and fabric placement. When arranging the blocks, note the white stars in the diagram indicate placement of the 4 Block B combination blocks..







Quilt center should measure 641/2"x641/2" with seams

Outer Border

Note: The borders for this quilt are torn from the **length** of fabric. Why tear instead of cut? If you mark and clip precisely, each border strip will be exactly the same width and the motifs will appear in the same position on each border strip. Tearing guarantees that your borders will be on the straight, lengthwise grain.

PREPARING THE BORDERS


- Clip the raw edge of fabric (approx. ¹/₂" deep)
 1" inside the white printed selvage.
- 2. Measure 91/2" to the right from the first clip. Clip again.
- 3. To center the motif, measure over $\frac{3}{4}$ " and clip.
- 4. Measure $9\frac{1}{2}$ " to the right from the last clip. Clip again.
- 5. Repeat Steps 3 & 4 two additional times clipping the edge of the border fabric each time.
- 6. Begin at selvage clip and tear away the selvage. Repeat with the remaining clips to create 4 9½"x length of fabric border strips (approx 90"). Discard the ¾" strips. Press each strip before cutting to the correct length.

Adding the Borders

Note: The border strips are extra long to allow for the alignment of the border motifs. Before cutting the border strips below, we suggest you audition the borders for placement. You might need to cut the border strip at both the beginning and the end of the strip to achieve the best positioning of the print.

- 1. Measure the length of the quilt top from side to side through the center (approx. 641/2"). Cut two border strips to that measurement.
- 2. Please note the motifs of this border "chase" around the quilt top. Stitch one border strip to the top of the quilt center with the yellow flower motif bending toward the center of the quilt top. Rotate the second border strip so the yellow flower motif is also bending toward the center of the quilt top and stitch to the bottom. Press toward the border.
- 3. Measure quilt top through the center from top to bottom including the borders (approx. 82½"). Cut the remaining two border strips to that measurement. Add to opposite sides of quilt top. Press toward border.

Quilt top should measure 82¹/₂"x82¹/₂" with seams.



white printed selvage

Finishing

1. Using a diagonal seam, join the $9 - 2\frac{1}{2}$ "xWOF strips end to end. Press seams open. Fold prepared strip in half wrong sides together and press to make the binding.

moda

2. Layer, Quilt and Bind.