Spell It With Moda Drawstring Baz a scrappy bag project by Sew Lux

Use the free Spell It With Moda letter pattern and follow the directions below to turn your favorite letter into a great drawstring bag, perfect for gifting!

Materials Needed: Spell It With Moda Alphabet Pattern

https://my.modafabrics.com/webfiles/fp_SpellitwithModa2020.pdf 1/2 yard Exterior 1/2 yard Letter & Lining 2 yards twill tape or ribbon 18" x 34" batting (if quilting)

Cutting Instructions:

For Bag Exterior:

Cut (1) 14.5" x WOF strip & subcut:

□ (1) 14.5" x 18.5"

□ (1) 14.5" x 2.5"

□ (2) 10.5" x 3.5"

Reserve the remaining fabric to cut the letter block background

For Bag Lining:

Cut (1) 14.5" x WOF strip & subcut:

□ (1) 14.5" x 30.5"


□ (2) 2.5" x 13.5" (casing)

Reserve the remaining fabric to cut the letter block pieces

Assemble the Bag


- 1. Follow the block directions in the Spell It With Moda pattern to make an 8.5" x 10.5" letter block of your choice.
- 2. Sew the 3.5" x 10.5 exterior pieces to the left & right sides of the letter. Sew the 2.5" x 14.5" exterior piece to the top and then the 14.5" x 18.5" exterior peice to the bottom. Press away from the letter. (Fig. A)
- 3. If quilting: baste to batting or fusible fleece and quilt, as desired. Trim to 14.5" x 30.5".
- 4. Fold the short ends of each 2.5" x 13.5" casing strip under 1/2" & press. Tuck raw edge into the fold and topstitch. Fold in half lengthwise with wrong sides together.

- 5. Center the casing tubes on the 14.5" ends of the front of the exterior with raw edges aligned. Baste in place.
- 6. Place lining on top with right sides together. Sew along the top & bottom edges to secure lining, casing tube & exterior together.
- 7. Fold the bag so that the lining is RST and the exterior is RST (this is similar to making a pouch). Sew along each side, leaving approx. 4" open on one lining side. (Fig. B)
- 8. Measure & cut a 1" square from each corner, NOT including the seam allowance. Box each corner by pinching to match up the side seam & bottom center crease & sew closed. (Fig. C)
- 9. Turn the bag right side out and close the opening in the lining. Press lining into place and top stitch around top edge of bag to secure.
- 10. Cut two 32" long ties from twill tape. Insert through casing in an overlapping U-shape. Tie ends & trim tails to desired length. (Fig. D)



Sharing your projects on Social Media?

Use #spellitwithmodadrawstring and #giftitwithmoda



Template Free Piecing

Each letter requires 1 JellyRoll™ strip and 1 Fat Eighth

MODAFABRICS.COM

PS ABC — COMPLIMENTS OF MODA FABRICS

Share your pictures using hashtag #Spellitwithmoda2020



• Quilt Size: 59"x68" finished • Letter Block Size: 8"x10" finished

Letter Block with Sashing Size: 9"x12" finished

Fabric Requirements

Note: Each block requires 1 JellyRoll™ strip for the letter and 1 fat eighth of background fabric.

Letters 1 − JellyRollTM

Background 26 – Fat Eighths or 3½ yds.

Sashing and Borders and Pieced Blocks 2½ yds.

Binding 5/8 yd.

Backing 2 yds. pieced crosswise

Helpful Tools

Omnigrip by Omnigrid 8½" x 12" ruler (RN8512 Omnigrid #1)

Folded Corner Clipper by Prairie Sky Quilting (#502 Prairie Sky #1)

6½"x6½" square ruler with diagonal guideline

Cutting Directions

Letters, Background and Pieced Blocks: Refer to each letter/block page Sashing and Borders

Cut $2-10\frac{1}{2}$ "x WOF strips and $2-9\frac{1}{2}$ "x WOF strips

Subcut 30–1½" x 10½", 30–2½" x 9½" and from remainder cut 8–1½" x 8½" strips for sashings

Cut $2 - 2\frac{1}{2}$ "x WOF strips, $4 - 3\frac{1}{2}$ "x WOF strips and $2 - 5\frac{1}{2}$ "x WOF strips for borders

Use the remaining fabric for pieced blocks.

Binding – Cut 7 – $2\frac{1}{2}$ "x WOF strips

Hints & Explanations

Seams – Use a scant 1/4" seam.

Pressing – Press seams toward print or as directed. Press seams open where indicated.


Assembly – Piece and assemble each block following the Steps. The numbers (1,2,3,etc.) indicate order of assembly within a Step.

ECT– Easy Corner Triangles


Draw a diagonal line on the back of the $2\frac{1}{2}$ " or $1\frac{1}{2}$ "squares.


Sew a marked square on the diagonal line to the background rectangle or square as directed in the block instructions. Trim ½" from the sewn line. Trim away only the middle layer, do not cut away the background. This will help to keep letter pieces straight.

Press to the corner to form a triangle.













Pieced Block Assembly- Press toward Print

Choose 4 of the 8" finished blocks below or select another 8" block of your own, or applique an 8" block to complete this quilt.





Background:

1-4½"x 4½" 12-2½"x 2½"

Print:

4-2½"x 4½"



B

Background:

16-2½"x2½"

Prints:

 $8-2\frac{1}{2}$ " x $4\frac{1}{2}$ "





Background:

 $2-2\frac{1}{2}$ " x $4\frac{1}{2}$ "

6-21/2" x 21/2"

Prints:

2-21/2"x81/2"

4-2½"x2½"





Background:

2-2½"x2½"


Prints:


1-2½"x8½"


2-2½"x6½"

1-2½"x4½"

2-21/2" x 21/2"













Background:

1-4½"x 4½"

4-2½"x 4½"

4-2½"x2½"

 $8-2\frac{1}{2}$ " x $2\frac{1}{2}$ "

4-21/2" x 21/2"

Prints:

Prints: 2-41/2" x 41/2"

2-2½"x4½"

(F)

Background:

2-2½"x2½"

2-2½"x2½"





Background:

8-2½"x2½"

Prints:

 $1-4\frac{1}{2}$ " x $4\frac{1}{2}$ "

4-2½"x6½"






Background:

16-2½"x2½"


Prints:


4-2½"x4½"

4-21/2" x 41/2"










Block Assembly – Press toward sashings




Letter Block

Each **letter block** finishes at 8"x10"

Add a 1½"x10½" sashing strip
to the right side of each letter. Press
toward the sashing. Then add
a 2½" x9½" sashing strip to the
bottom of the block. Press toward
the sashing. See diagram.

Both Letter and Pieced blocks should measure $9\frac{1}{2}$ " x $12\frac{1}{2}$ " with segms.



Pieced Block

Each **pieced block** finishes at 8"x8"

Add a 1½"x8½" spacer strip to the top and bottom of each pieced block.

Press toward the spacer. Follow the directions above to add sashing strips to side and bottom of pieced block.



Parts — include seam allowance

Background:

 $1-4\frac{1}{2}$ " x $4\frac{1}{2}$ "


 $1-2\frac{1}{2}$ " x $4\frac{1}{2}$ "

 $2-2\frac{1}{2}$ " $\times 2\frac{1}{2}$ "

Print:

 $2-2\frac{1}{2}$ " $x10\frac{1}{2}$ "

2-2½"x 4½"



Press toward Print except some ECTs then follow direction of arrows.

Spell it with Fabric



Parts — include seam allowance

Background:

2-23/4" x 41/2"

2-1½"x 1½"

2-21/2" x 21/2"


Print:

1-2½"x10½" 2-1½"x2½"

 $2-2\frac{1}{2}$ " $\times 6\frac{1}{2}$ " 1-2" $\times 4\frac{1}{2}$ "

 $2-2\frac{1}{2}$ " $\times 2\frac{1}{2}$ "

 $\label{press} \mbox{Press toward Print except some ECTs then follow direction of arrows.}$





Parts — include seam allowance

Background:

1-4½"x6½"

5-2½"x2½"


Print:

2-2½"x8½"

1-2½"x6½"

2-21/2" x 21/2"

Press toward Print except some ECTs then follow direction of arrows.



Spell it with Fabric



Parts — include seam allowance

Background:


 $1-4\frac{1}{2}$ " x $6\frac{1}{2}$ "

2-2½"x2½"

Print:

2-21/2"x81/2"

2-2½"x6½"





Parts — include seam allowance

Background:

2-2³/₄"x 4¹/₂" 1-2¹/₂"x 6¹/₂"

Print:

2-2½"x8½" 1-2½"x6½"

1-2"x 4½"

Press toward Print except some ECTs then follow direction of arrows.



Spell it with Fabric



Parts — include seam allowance

Background:

1-4½"x4½"

 $1-3" \times 4\frac{1}{2}"$

1-2½"x8½"

Print:

2-2½"x8½"

1-2"x 4½"

Step 3
2½"x8½"

Step 1
3"x4½"
1

Step 2
2½"x8½"

3
4½"x4½"

3
4½"x4½"

Press toward Print except some ECTs then follow direction of arrows.

moda....



Parts — include seam allowance


Background:

1-2½"x4½" 1-1½"x4½" 1-2½"x6½" 1-1½"x2½" 4-2½"x2½"

Print:

2-2½"x8½" 2-2½"x2½" 1-2½"x6½" 1-1½"x2½"

Press toward Print except some ECTs then follow direction of arrows.



Spell it with Fabric



Parts — include seam allowance

Background:

1-4½"x4½"

1-4½"x5"

Print:

2-2½"x10½"

 $1-2"x4\frac{1}{2}"$





Parts — include seam allowance


Background:

4-1½"x2½" 2-3½"x6½"

Print:

3-2½"x6½"

Press toward Print except some ECTs then follow direction of arrows.



Spell it with Fabric



Parts — include seam allowance

Background:

1-6½"x6½"


1-2½"x 4½"

2-2½"x2½"

Print:

2-2½"x8½"

1-2½"x2½"





Parts — include seam allowance

Background:

12-2½"x2½"

1-2½"x 4½"

 $2-1\frac{1}{2}$ "x $1\frac{1}{2}$ "


Print:

1-2½"x10½"

4-2½"x 4½"

2-1½"x2½"

Press toward Print except some ECTs then follow direction of arrows.







Parts — include seam allowance

Background:


1-2½"x10½"

1-4½"x8½"

Print:

1-2½"x10½"

1-2½"x4½"





Parts — include seam allowance

Background:

1-4½"x6½"

1-2½"x4½"

2-21/2" x 21/2"


Print:

2-21/2"x101/2"

1-2½"x4½"

2-21/2" x 21/2"

Press toward Print except some ECTs then follow direction of arrows.



Spell it with Fabric



Parts — include seam allowance

Background:

 $1-4\frac{1}{2}$ " x $4\frac{1}{2}$ "

2-2½"x 4½"

2-2½"x2½"

Print:

2-21/2"x101/2"

1-2½"x 4½"

2-21/2" x 21/2"

ECT 2½"x4½" 2½"x2½" 1 2½"x2½" Step 3 Step 1 Step 4 2½"x10½" 2½"x2½" 2½"x10½" 2½"x2½" 2½"x4½" 3 ECT Step 2 4½"x 4½"



Parts — include seam allowance

Background:

1-4½"x6½"


4-2½"x2½"

Print:

2-21/2"x81/2"

2-21/2"x61/2"

Press toward Print except some ECTs then follow direction of arrows.



Spell it with Fabric



Parts — include seam allowance

Background:

1-3"x 4½"

1-2½"x2½"


1-1½"x1½"

1-4½"x6½"

Print:

 $1-2\frac{1}{2}$ " x $10\frac{1}{2}$ " $2-2\frac{1}{2}$ " x $4\frac{1}{2}$ "

 $1-2" \times 4\frac{1}{2}"$ $1-2\frac{1}{2}" \times 6\frac{1}{2}"$





Parts — include seam allowance

Background:

1-4½"x6½"

1-3"x3" cut once diagonally


 $3-2\frac{1}{2}"x2\frac{1}{2}"$

Print:


2-2½"x8½"

2-2½"x6½" 1-1"x4"

Press toward Print



Trim to 21/2" x 21/2"



Spell it with Fabric



Parts — include seam allowance

Background:

1-3"x4½"


7-2½"x2½"

1-1½"x1½"

Print:

1-2½"x10½" 3-2½"x4½"

 $1-2" \times 4\frac{1}{2}"$ $1-2\frac{1}{2}" \times 6\frac{1}{2}"$





Parts — include seam allowance


Background:

2-2½"x 6½" 6-1½"x 1½"

Print:

3-2½"x8½" 2-2½"x2½"

Press toward Print except some ECTs then follow direction of arrows.



Spell it with Fabric



Parts — include seam allowance


Background:

2-3½"x8½" 2-1½"x2½"

Print:

1-2½"x8½" 1-2½"x6½"

1½"×2½"		Step 1 2½"x6½"		11/2"×21/2"
1 3½"x8½"		Step 2 2 2½"x8½"	3 3½"x8½	



Parts — include seam allowance

Background:


 $1-4\frac{1}{2}$ " x $8\frac{1}{2}$ "

2-21/2" x 21/2"

Print:

3-21/2"x81/2"

Press toward Print except some ECTs then follow direction of arrows.



Spell it with Fabric



Parts — include seam allowance

Background:

1-4½"x6½"

3-21/2" x 41/2"


2-2½"x2½"


Print:

2-21/2"x61/2"

 $1-2\frac{1}{2}$ " x $4\frac{1}{2}$

 $4-2\frac{1}{2}"x2\frac{1}{2}$







Parts — include seam allowance

Background:

1-4½"x6½"

1-2½"x4½"

2-2½"x2½"

4-1½"x1½"


Print:

2-21/2"x101/2"

 $1-2\frac{1}{2}$ " x $4\frac{1}{2}$ "

2-2½"x2½"

Press toward Print except some ECTs then follow direction of arrows.



Press seams open

Spell it with Fabric



Parts — include seam allowance

Background:

2-2½"x4½"

4-2½"x2½"


4-1½"x3½"

Print:

2-2½"x8½"

 $9-2\frac{1}{2}"x2\frac{1}{2}$

4-1½"x1½"





Parts

Background:

2-2½"x6½

 $1-4\frac{1}{2}$ " x $4\frac{1}{2}$

 $1-2\frac{1}{2}$ " x $4\frac{1}{2}$

 $2-1\frac{1}{2}$ "x $4\frac{1}{2}$


Print:

3-21/2" x 41/2"

4-2½"x2½"

2-11/2" x 11/2"

Press toward Print except some ECTs then follow direction of arrows.



Spell it with Fabric



Parts

Background:

 $4-2\frac{1}{2}$ " x $4\frac{1}{2}$ "


4-2½"x2½"

Print:

2-21/2"x81/2"

2-2½"x4½"

2-2½"x2½"




Putting It All Together

- 1. Stitch the 26 letter blocks and 4 pieced blocks into 5 rows of 6 blocks. Press toward the sashings.
- 2. Cut the pieced border strips into the following borders:
 - $1-2\frac{1}{2}$ " $x60\frac{1}{2}$ ", $1-3\frac{1}{2}$ " $x60\frac{1}{2}$ ", $1-5\frac{1}{2}$ " $x59\frac{1}{2}$ ", and $1-3\frac{1}{2}$ " $x59\frac{1}{2}$ ",
 - (Note: Since sashings and spacers were not added to all sides of each block, the borders for this quilt are different sizes in order to square the quilt.)
- **3.** Add the $3\frac{1}{2}$ "x 60\%" border to the left side of the quilt and the $2\frac{1}{2}$ "x 60\%" to the right. Press toward border.
- **4.** Add the $5\frac{1}{2}$ "x $59\frac{1}{2}$ border to the top of the quilt and the $3\frac{1}{2}$ "x $59\frac{1}{2}$ to the bottom. Press toward border. Quilt top should measure $59\frac{1}{2}$ "x $69\frac{1}{2}$ " with seams.

Finishing

- 1. Using a diagonal seam, join the $7 2\frac{1}{2}$ "x WOF strips end to end. Press seams open.
- 2. Fold prepared strip in half wrong sides together and press to make the binding.
- 3. Layer, Quilt and Bind



Different Sashing Sizes

Since sashings and spacers were not added to all sides of each block, the borders for this quilt are different sizes in order to square the quilt.

Quilt top should measure 59½"x68½" with seams.

3½"x59½"