

Template Free Piecing

Each letter requires 1 JellyRoll™ strip and 1 Fat Eighth



MODAFABRICS.COM PSABC — COMPLIMENTS OF MODA FABRICS Share your pictures using hashtag #Spellitwithmoda2020

make an Alphabet Quilt

Quilt Size: 59"x68" finished
Letter Block Size: 8"x10" finished
Letter Block with Sashing Size: 9"x12" finished

Fabric Requirements

Note: Each block requires 1 JellyRoll[™] strip for the letter and 1 fat eighth of background fabric.

Letters 1 – JellyRoll™ Background 26 – Fat Eighths or 3½ yds. Sashing and Borders and Pieced Blocks 2½ yds. Binding ⁵/₈ yd. Backing 2 yds. pieced crosswise

Helpful Tools Omnigrip by Omnigrid 8½" x 12" ruler (RN8512 Omnigrid #1) Folded Corner Clipper by Prairie Sky Quilting (#502 Prairie Sky #1)

61/2"x61/2" square ruler with diagonal guideline

Cutting Directions

Letters, Background and Pieced Blocks: Refer to each letter/block page Sashing and Borders

Cut 2 –10½"xWOF strips and 2 –9½"xWOF strips Subcut 30–1½" x 10½", 30–2½" x 9½" and from remainder cut 8–1½" x 8½" strips for sashings Cut 2 – 2½"xWOF strips, 4 – 3½"xWOF strips and 2 – 5½"xWOF strips for borders

Use the remaining fabric for pieced blocks.

Binding – Cut 7 – 2¹/₂"xWOF strips

Hints & Explanations

Seams – Use a scant 1/4" seam

Pressing – Press seams toward print or as directed. Press seams open where indicated.


Assembly – Piece and assemble each block following the Steps. The numbers (1,2,3,etc.) indicate order of assembly within a Step.

ECT– Easy Corner Triangles

Draw a diagonal line on the back of the $2 \mspace{12} \mspace{12} \mspace{12}$ or $1 \mspace{12} \ms$

Sew a marked square on the diagonal line to the background rectangle or square as directed in the block instructions. Trim 1/4" from the sewn line. Trim away only the middle layer, do not cut away the background. This will help to keep letter pieces straight.


Press to the corner to form a triangle.













Pieced Block Assembly-Press toward Print

Choose 4 of the 8" finished blocks below or select another 8" block of your own, or applique an 8" block to complete this quilt.



Background: $1-4\frac{1}{2}$ " x $4\frac{1}{2}$ " 12-2¹/₂"x2¹/₂" Print: 4-2¹/₂"x 4¹/₂"



B

Background: 16-2¹/₂"x2¹/₂"


Prints: 8-2¹/₂"x4¹/₂"



 (\mathbf{C})

Background: 2-2¹/₂"x4¹/₂" 6-2¹/₂"x2¹/₂" Prints:

2-2¹/₂"x8¹/₂" 4-2¹/₂"x2¹/₂"







Background: 2-2¹/₂"x 2¹/₂" Prints: 1-2¹/₂"x8¹/₂"

> 2-2¹/₂"x 6¹/₂" 1-2¹/₂"x 4¹/₂" 2-2¹/₂"x2¹/₂"







E

Background: $1-4\frac{1}{2}$ " x $4\frac{1}{2}$ " 4-2¹/₂"x 4¹/₂" 4-2¹/₂"x2¹/₂" Prints:

 $8-2\frac{1}{2}x2\frac{1}{2}$ 4-2¹/₂"x2¹/₂"





 (\mathbf{F})

Background:


2-2¹/₂"x2¹/₂"

2-4¹/₂"x 4¹/₂"

2-2¹/₂"x 4¹/₂"

2-2¹/₂"x2¹/₂"


Prints:



G

Background: 8-2¹/₂"x2¹/₂"

Prints: $1-4\frac{1}{2} \times 4\frac{1}{2}$ 4-2¹/₂"x6¹/₂"









Background: 16-2¹/₂"x2¹/₂"

Prints: $4-2^{1}/_{2}$ x $4^{1}/_{2}$ 4-2¹/₂"x4¹/₂"



Block Assembly – Press toward sashings




Letter Block

Each letter block finishes at 8"x10"

Add a 1½"x10½" sashing strip to the right side of each letter. Press toward the sashing. Then add a 2½" x9½" sashing strip to the bottom of the block. Press toward the sashing. See diagram.

Both Letter and Pieced blocks should measure $9\frac{1}{2}x12\frac{1}{2}$ with seams.



moda



Stite	ch on dashed line	1 2½"x4½"	2½"x2½" ECT
Parts — include seam allowance Background: 1-41/2"x 41/2"	Step 1 2½"x10½"	2 4½"×4½" Step 2	Step 3 2½"x10½"
1-2½"x4½" 2-2½"x2½" Print: 2-2½"x10½" 2-2½"x4½"		3 2½"×4½" 2½"×4½" 4	




Parts — include seam allowance Background:

2-2³/₄"x 4¹/₂" 2-1¹/₂"x 1¹/₂" 2-2¹/₂"x 2¹/₂"

Print:





oda

Spell it with Fabric		~	r
	ECT	Step 4 2½"x8½"	ECT. 21/2"x21/2"
			2½"x2½" Step 1 1
Parts — include seam allowance Background: 1-4½"x6½" 5-2½"x2½" Print:	Step 3 2 ¹ ⁄ ₂ "x6 ¹ ⁄ ₂ "	Step 2 4 ¹ ⁄2"x6 ¹ ⁄2"	2 2 ¹ ⁄ ₂ "×2 ¹ ⁄ ₂ " 3 2 ¹ ⁄ ₂ "×2 ¹ ⁄ ₂ "
2–2½"x8½" 1–2½"x6½" 2–2½"x2½" Press toward Print except some ECTs then follow direction of arrows.	ECT	Step 4 2½"x8½"	ECT 2 ¹ /2"x2 ¹ /2"

alla da.




Parts – include seam allowance

Background: 1-4¹/₂"x6¹/₂" 2-2¹/₂"x2¹/₂"

Print:

2-2¹/₂"x8¹/₂" 2-2¹/₂"x6¹/₂"







		Step 3 2½"x8½"	
		2 ³ /4"×4 ¹ /2 Step 1 1	
Parts — include seam allowance Background: 2-2 ³ /4"x4 ¹ /2" 1-2 ¹ /2"x6 ¹ /2" Print:	Step 2 2½"x6½"	2 2"×4½" 3 2 ³ /4"×4½	Step 2 2 ¹ ⁄ ₂ "×6 ¹ ⁄ ₂ "
2-21/2"×81/2" 1-21/2"×61/2" 1-2"×41/2" Press toward Print except some ECTs then follow direction of arrows.		Step 3 2½"x8½"	

		Step 3 2½"×8½"	
		Step 1 3"×4½" 1	
Parts — include seam allowance Background: 1-4½"x4½"	Step 2 2½"x8½"	2 2"×4½"	Step 2 2½"x8½"
1–3"x4½" 1–2½"x8½"		3 4 ¹ ⁄ ₂ "×4 ¹ ⁄ ₂ "	
Print: 2-2½"x8½" 1-2"x4½"			







Parts — include seam allowance


Background:

1-2¹/₂"x4¹/₂" 1-1¹/₂"x4¹/₂" 1-2¹/₂"x6¹/₂" 1-1¹/₂"x2¹/₂" 4-2¹/₂"x2¹/₂"

Print:

2-2 ¹ / ₂ "x8 ¹ / ₂ "	2-2 ¹ / ₂ "x2 ¹ / ₂ "
1-2 ¹ / ₂ "x 6 ¹ / ₂ "	1-1½"x2½"

Press toward Print except some ECTs then follow direction of arrows.



Spell it with Fabric




Parts — include seam allowance

Background: 1-4¹/₂"x4¹/₂" 1-4¹/₂"x5"


Print:

2-2¹/₂"x10¹/₂" 1-2"x4¹/₂"











Press toward Print except some ECTs then follow direction of arrows.



2-2¹/₂"x8¹/₂"

 $1-2\frac{1}{2} \times 2\frac{1}{2}$

Press toward Print except some ECTs then follow direction of arrows.



Step 2

2¹/₂"x 6¹/₂"

moda





Parts — include seam allowance

Background:

12-2¹/₂"x2¹/₂" 1-2¹/₂"x4¹/₂" 2-1¹/₂"x1¹/₂"

Print:

1-2¹/₂"x10¹/₂" 4-2¹/₂"x4¹/₂" 2-1¹/₂"x2¹/₂"

Press toward Print except some ECTs then follow direction of arrows.




Parts – include seam allowance


Background: 1-2¹/₂"x10¹/₂" 1-4¹/₂"x8¹/₂"

Print:

1-2¹/₂"×10¹/₂" 1-2¹/₂"×4¹/₂"

Press toward Print except some ECTs then follow direction of arrows.





moda

10



Parts — include seam allowance


Background:

1-4¹/₂"x6¹/₂" 1-2¹/₂"x4¹/₂" 2-2¹/₂"x2¹/₂"

Print:


2–2¹/₂"x10¹/₂" 1–2¹/₂"x4¹/₂" 2–2¹/₂"x2¹/₂"

Press toward Print except some ECTs then follow direction of arrows.






2–2¹/₂"x10¹/₂" 1–2¹/₂"x4¹/₂" 2–2¹/₂"x2¹/₂"







Spell it with Fabric




Parts — include seam allowance


Background:

1-3"x4½" 1-2½"x2½" 1-1½"x1½" 1-4½"x6½"

Print:

1-2¹/₂"x10¹/₂" 2-2¹/₂"x4¹/₂" 1-2"x4¹/₂" 1-2¹/₂"x6¹/₂"








Parts — include seam allowance

Background:

1–3"x4½" 7–2½"x2½" 1–1½"x1½"

Print:

1-2¹/₂"x10¹/₂" 3-2¹/₂"x4¹/₂" 1-2"x4¹/₂" 1-2¹/₂"x6¹/₂"





Parts — include seam allowance


Background:

2-2¹/₂"x 6¹/₂" 6-1¹/₂"x 1¹/₂"

Print:

3–2½"x8½" 2–2½"x2½"

Press toward Print except some ECTs then follow direction of arrows.



Spell it with Fabric



Parts – include seam allowance

Background: 2-3¹/₂"x8¹/₂"

2-1¹/₂"x2¹/₂"

Print:

1-2¹/₂"x8¹/₂" 1-2¹/₂"x6¹/₂"

11/2"×21/2"	Step 1 2½"x6½"	1 ^{1/2"} X2 ^{1/2"}
1	Step 2 2	2
		3
3½"x8½"	2½"x8½"	3½"x8½"






Parts — include seam allowance Background: 1-4¹/₂"x8¹/₂" 2-2¹/₂"x2¹/₂" Print:

3-2¹/₂"x8¹/₂"

Press toward Print except some ECTs then follow direction of arrows.



Spell it with Fabric




Parts — include seam allowance

Background:

1-4¹/₂"x6¹/₂" 3-2¹/₂"x4¹/₂" 2-2¹/₂"x2¹/₂"

Print:

2-2¹/₂"x6¹/₂" 1-2¹/₂"x4¹/₂ 4-2¹/₂"x2¹/₂







Parts – include seam allowance

Background:

1-4¹/₂"×6¹/₂" 1-2¹/₂"×4¹/₂" 2-2¹/₂"×2¹/₂" 4-1¹/₂"×1¹/₂"

Print:

2–2¹/₂"x10¹/₂" 1–2¹/₂"x4¹/₂" 2–2¹/₂"x2¹/₂"

Press toward Print except some ECTs then follow direction of arrows.

Spell it with Fabric




Parts — include seam allowance


Background:

2-2¹/₂"x4¹/₂" 4-2¹/₂"x2¹/₂" 4-1¹/₂"x3¹/₂"

Print:

2-2¹/₂"x8¹/₂" 9-2¹/₂"x2¹/₂ 4-1¹/₂"x1¹/₂"







Parts

Background:

2-2¹/₂"×6¹/₂ 1-4¹/₂"×4¹/₂ 1-2¹/₂"×4¹/₂ 2-1¹/₂"×4¹/₂

Print:

3–2¹/₂"x4¹/₂" 4–2¹/₂"x2¹/₂" 2–1¹/₂"x1¹/₂"

Press toward Print except some ECTs then follow direction of arrows.

Spell it with Fabric




Parts


Background: 4–2½"x4½" 4–2½"x2½"

Print:

2–2¹/₂"x8¹/₂" 2–2¹/₂"x4¹/₂" 2–2¹/₂"x2¹/₂"

Press toward Print except some ECTs then follow direction of arrows.





moda

Putting It All Together

- 1. Stitch the 26 letter blocks and 4 pieced blocks into 5 rows of 6 blocks. Press toward the sashings.
- 2. Cut the pieced border strips into the following borders:
 - $1-2\frac{1}{2}x60\frac{1}{2}$, $1-3\frac{1}{2}x60\frac{1}{2}$, $1-5\frac{1}{2}x59\frac{1}{2}$, and $1-3\frac{1}{2}x59\frac{1}{2}$,

(Note: Since sashings and spacers were not added to all sides of each block, the borders for this quilt are different sizes in order to square the quilt.)

3. Add the $3\frac{1}{2}x60\frac{1}{2}$ border to the left side of the quilt and the $2\frac{1}{2}x60\frac{1}{2}$ to the right. Press toward border. **4.** Add the $5\frac{1}{2}x59\frac{1}{2}$ border to the top of the quilt and the $3\frac{1}{2}x59\frac{1}{2}$ to the bottom. Press toward border. Quilt top should measure $59\frac{1}{2}x69\frac{1}{2}$ with seams.

Finishing

- 1. Using a diagonal seam, join the $7 2\frac{1}{2}$ "x WOF strips end to end. Press seams open.
- 2. Fold prepared strip in half wrong sides together and press to make the binding.
- 3. Layer, Quilt and Bind

