

## **Fabric Cutting**

Sort the fabric pieces by the Round number (Rnd #) shown for easier piecing.

Print #1	1–3½"x22" (Rnd 11) 2–4¼"x4¼" (Rnd 3)
Print #2	1-8½"xWOF subcut 2-8½"x8½" (Rnd 11) 2-4¼"x4¼" (Rnd 3) 12-2"x2" (Rnd 4) 1-3½"x22" (Rnd 11)
Print #3	2-8 <sup>1</sup> / <sub>2</sub> "x WOF subcut 7-8 <sup>1</sup> / <sub>2</sub> "x 8 <sup>1</sup> / <sub>2</sub> " (Rnd 11) 2-4 <sup>1</sup> / <sub>4</sub> "x 4 <sup>1</sup> / <sub>4</sub> " (Rnd 3) 1-5"x WOF subcut 8-5"x 5" (Rnd 11) 2-1"x WOF subcut 8-1"x 10" (Rnd 11)
Print #4	4–5½"x cut length of fabric (Border) 5–2½"x cut length of fabric (Binding) from the remaining cut 2–4¼"x 4¼" (Rnd 3) 12–2"x 2" (Rnd 4)
Print #5	1–8½"x WOF subcut 3–8½"x 8½" (Rnd 11) 2–4¼"x 4¼" (Rnd 3) 4–6½"x WOF (Border) 1–3½"x 22" (Rnd 11)
Print #6	3–2"x 22" subcut 24–2"x 2" (Rnd 4) 2–4¼"x 4¼" (Rnd 3)
Print #7	3–3½"x WOF subcut 56–3½"x 2" (Rnd 4) 2–2%"x 27%" (Rnd 2) 1–2½"x WOF subcut 16–2½"x 2½" (Rnd 2) set aside remaining fabric for Rnd 10
Print #8	1-8½"xWOF subcut 2-8½"x8½" (Rnd 11) 12-2"x2" (Rnd 4) 3-4¼"xWOF subcut 24-4¼"x4¼" (Rnd 7) 1-3½"xWOF subcut 1-3½"x22" (Rnd 11) 6-1"x10" (Rnd 11)



5–3"xWOF

sew strips together

1-3<sup>1</sup>/<sub>2</sub>"x 22" (Rnd 11)

2-81/2"x 81/2" (Rnd 11)

1-81/2"xWOF

6-41/2"x WOF

1-31/2"xWOF

7–31/8"x WOF

1-2"xWOF

1-3<sup>1</sup>/<sub>2</sub>"x 22" (Rnd 11)

subcut 2-3"x 391/2" (Rnd 8)

subcut 2-81/2"x 81/2" (Rnd 11) 2-4¼"x 4¼" (Rnd 3) 12-2"x 2" (Rnd 4)

subcut 48-41/2"x 41/2" (Rnd 9)

subcut 1-3<sup>1</sup>/<sub>2</sub>"x 22" (Rnd 11) 6-1"x 10" (Rnd 11)

subcut 80-31/8" x 31/8" (Rnd 6)

subcut 12-2"x 2" (Rnd 4)

2-3"x 441/2" (Rnd 8)





Print #11



Print #12

2–2"x 22" subcut 12-2"x 2" (Rnd 4)

2-4¼"x4¼" (Rnd 3)

2-8<sup>1</sup>/<sub>2</sub>"x 8<sup>1</sup>/<sub>2</sub>" (Rnd 11)

#### 1-41/4"x WOF subcut 2-41/4"x 41/4" (Rnd 3) 1-3½"x 22" (Rnd 11) 4–2"xWOF subcut 2–2"x 27½" (Rnd 5) Print #13 2-2"x 24<sup>1</sup>/<sub>2</sub>" (Rnd 5) 12–2"x 2" (Rnd 4)

1-4<sup>1</sup>/<sub>2</sub>"x 22" subcut 1-4<sup>1</sup>/<sub>2</sub>"x 4<sup>1</sup>/<sub>2</sub>" (Star) 2-4¼"x 4¼" (Rnd 3)  $1-2\frac{1}{2}$ "x 22" subcut 8-21/2"x 21/2" (Star)

Print #14 2-2"x 22" subcut 12-2"x 2" (Rnd 4)

> 15-21/2"x WOF subcut 12-21/2"x 41/2" (Rnd 1, 2) 196–2½"x 2½" (Rnd 1, 9) 3-4¼"xWOF

subcut 24-4¼"x4¼" (Rnd 7) Background 7-31/2"xWOF

subcut 40-31/2"x 31/2" (Rnd 6) 10-3<sup>1</sup>/<sub>2</sub>"x 10" (Rnd 11) 2–27/8"x 27/8" (Rnd 2)

8-1"x WOF subcut 16-1"x 22" (Rnd 11)

# Construction

*Faith* is built as a round robin or medallion style quilt – starting with a star block and working outward to the final border.







Sew 2–2"x 2" Assorted print squares on the diagonal to 1–3½"x 2" Print #7 rectangle. See diagram.
Press to the corners to form the triangles.
Repeat to make 56 flying geese.

## Quilt top is now 241/2"x 241/2" with seams



4

## INNER BORDER #5

Print #13 2–2"x 24½" 2–2"x 27½"



Print 11

## Quilt top is now 271/2"x 271/2" with seams



#### **PIECES FOR ROUND #6**

Print #11 80–3<sup>1</sup>/<sub>8</sub>" x 3<sup>1</sup>/<sub>8</sub>" Background 40–3<sup>1</sup>/<sub>2</sub>" x 3<sup>1</sup>/<sub>2</sub>"



## Quilt top is now 331/2"x 331/2" with seams



## PIECES FOR ROUND #7

Print #8 24–4¼" x 4¼" Background 24–4¼" x 4¼"



- (A) Draw a diagonal line on the back of the Background squares. Layer 1–4¼"x 4¼" Print #8 and 1–4¼"x 4¼" Background square right sides together. Sew ¼" on each side of the diagonal line. Cut on the diagonal line. Press open.
- (B) Turn one half square triangle unit to its reverse side and draw a diagonal line from one corner to another, perpendicular to the seam. Position the two half square units right sides together, with contrasting triangles facing each other. Repeat sewing on each side of the line then cut. Make 48.







- Add the 2–2"x 24<sup>1</sup>/<sub>2</sub>" Print #13 borders to the sides of the quilt.
- Add the 2–2"x 27½" Print #13 borders to the top and bottom.







Quilt top is now 441/2"x 441/2" with seams

 PIECES FOR ROUND #9

 Print #10
 48-4½" x 4½"

 Background
 192-2½" x 2½"



Sew 4–2<sup>1</sup>/<sub>2</sub>"x 2<sup>1</sup>/<sub>2</sub>" Background squares on the diagonal to 1–4<sup>1</sup>/<sub>2</sub>"x 4<sup>1</sup>/<sub>2</sub>" Print #10 square. *See diagram.* Press to the corners to form the triangles. Repeat to make 48 blocks.

Quilt top is now  $52\frac{1}{2}x 52\frac{1}{2}$  with seams

Add the 2–3"x 39½" Print #9 borders to the sides of the quilt.

Add the 2–3"x 44½" Print #9 borders to the top and bottom.



10 Due to the number of seams in the blocks in Round 11, we will wait to add this border until after the rows for Round #11 have been pieced.

## PIECES FOR ROUND #11 Assorted 8-3<sup>1</sup>/<sub>2</sub>" x 22"

20–1" x 10" Background 10–3½" x 10" 16–1" x 22"

- (A) Sew 2–1"x 10" Assorted and 1–3½"x 10" Background strips together. Make 10 strip sets. Cut into 88 segments that are 1" wide.
- (B) Sew 2–1"x 22" Background and 1–3<sup>1</sup>/<sub>2</sub>"x 22" Assorted strips together. Make 8 strip sets. Cut into 44 segments that are 3<sup>1</sup>/<sub>2</sub>" wide.
- (C) Combine units to make the block. See diagram. Double check measurement and adjust seam allowances, if necessary, before stitching the remaining 43 blocks. Make 44 blocks total.
- (D) Each block should measure  $4\frac{1}{2}x 4\frac{1}{2}$  with seams.





8

#### **ROUND #11 CONTINUED**

Assorted 20–8½" squares cut twice diagonally 8–5" squares cut once diagonally

- (A) Sew 2–8<sup>1</sup>/<sub>2</sub>" Assorted quarter square triangles to opposite sides of the block. *See diagram.* Make 36.
- (B) Sew 1–8<sup>1</sup>/<sub>2</sub>" Assorted quarter square triangle and 2–5" Assorted half square triangles to each side of the block. *See diagram.* Make 8. These are the Row Ends.
- (C) Combine 8–Unit One blocks and 2 Row Ends to make a row. Make 2 Side Rows. Combine 10 blocks and 2 Row Ends to make a row.

Make 2 for the Top and Bottom Rows.

### BACK TO ROUND #10



## Round #10 (Print #7):

If your quilt top (A) measures 52<sup>1</sup>/<sub>2</sub>" thru Round #9

**and** the your shorter Round #11 pieced border (B) measures 57¼" – **Cut 6** – 27%" x WOF strips for Round #10 borders. Using a bias seam join strips end to end. Press seams open. **Then** 

Cut 2-27/8" x 521/2" strips side borders (X)

Add to opposite sides of quilt. Press seams toward border.

Cut 2-27s" x 571/4" strips for the top and bottom borders (Y) Add borders strips to top and bottom of quilt. Press seams toward border.

## If your top (A) and border (X) do not have the 571/4

**above measurements,** please use the chart below to figure the width and length for your Round # 10 border strips

Measure A & B: <u>A</u> = width of quilt top after Rnd #9 <u>B</u> = length of Side Row Rnd #11 Determine the width of Round #10 borders: (B minus A)divided by 2 = border width (W) (W=2.3125 round to nearest eighth =2<sup>3</sup>/<sub>8</sub>") Determine the length of Border "X": A = length of X (52<sup>1</sup>/<sub>2</sub>") Determine the length of Border "Y": A + (2 times (border width"W") + <sup>1</sup>/<sub>2</sub>"= length of Y (57<sup>1</sup>/<sub>4</sub>")



**Then** Cut 6 – "W" plus  $\frac{1}{2}$ " x WOF strips for Round #10 borders. Using a bias seam join strips end to end. Press seams open. **Then** 

Cut 2–"W" plus  $\frac{1}{2}$ " x length of "X" side borders

Cut 2–"W" plus ½" x length of "Y" for the top and bottom borders

# Assembly

Starting in the middle with the star, the star is round one, add the rounds to the quilt sides first then the top and bottom.



Quilt is 78"x 90" finished

### ADD ROUND #10 AND ROUND #11

Add the Round #10 Inner Border sides first then top and bottom. Add the Round #11 sides first then top and bottom.

### **FINAL BORDERS**

Measure across the center of the quilt top for the best measurements for the length Final Borders.

Sew  $2-5\frac{1}{2}$ " wide Print #4 strips to the side of the quilt top. Sew  $2-5\frac{1}{2}$ " Print #4 strips to the top and bottom of the quilt top.

Sew the  $4-6\frac{1}{2}$ " wide Print #5 strips together. Sew  $2-6\frac{1}{2}$ " Print #5 strips to the top and bottom of the quilt top.

### FINISHING

Prepare the binding. Sew binding strips together, end to end. Press binding strips in half lengthwise with wrong sides together.

To quilt, layer and baste the quilt top, batting and backing. Quit by machine or by hand. Apply the prepared binding to quilt.

# Faith is an inspiration quilt.

We found the original 1840-1860 quilt in Massachusetts. It is a quirky summer weight quilt with wonderful pinks and browns. The quiltmaker, perhaps a child, seemed to be an imaginative beginner... trying different blocks as she built the various rounds of this medallion style quilt. The workmanship is hit or miss, leading us to wonder if more than one person, perhaps a younger sister, helped piece this quilt. Our designers have squared-up the various rounds for faster and easier piecing. It is our hope that you will enjoy this one-of-kind quilt of pinks and browns.

## Fabrics



















Print 8 46096 10 7∕8 yard











Print 11

46098 10

1<sup>1</sup>/<sub>8</sub> yards

Print 12

46099 10

12"x 22"

Print 13

 $\frac{1}{2}$  yard

46100 10

Background 46102 11 2<sup>3</sup>/<sub>4</sub> yards

Please note, kit yardage may vary slightly from amounts given on this project sheet.



Supporting the Cause – The Coalition to Salute America's Heroes

PS46090 — SUGGESTED RETAIL \$6.00





Print 5